



The Commonwealth of Massachusetts  
 Executive Office of Health and Human Services  
 Department of Public Health  
 Bureau of Environmental Health  
 Community Sanitation Program  
 5 Randolph Street, Canton, MA 02021  
 Phone: 781-828-7700 Fax: 781-828-7703

CHARLES D. BAKER  
 Governor

KARYN E. POLITO  
 Lieutenant Governor

MARYLOU SUDDERS  
 Secretary

MONICA BHAREL, MD, MPH  
 Commissioner

Tel: 617-624-6000  
[www.mass.gov/dph](http://www.mass.gov/dph)

April 5, 2019

Thomas M. Hodgson, Sheriff  
 Bristol County Sheriff's Office  
 Dartmouth I.C.E. Facility  
 400 Faunce Corner Road  
 North Dartmouth, MA 02747 (electronic copy)

Re: Facility Inspection - Dartmouth I.C.E. Facility, North Dartmouth

Dear Sheriff Hodgson:

In accordance with M.G.L. c. 111, §§ 5, 20, and 21, as well as Massachusetts Department of Public Health (Department) Regulations 105 CMR 451.000: Minimum Health and Sanitation Standards and Inspection Procedures for Correctional Facilities; 105 CMR 480.000: Storage and Disposal of Infectious or Physically Dangerous Medical or Biological Waste (State Sanitary Code, Chapter VIII); 105 CMR 590.000: Minimum Sanitation Standards for Food Establishments (State Sanitary Code Chapter X); the 2013 Food Code; 105 CMR 500.000 Good Manufacturing Practices for Food; and 105 CMR 205.000 Minimum Standards Governing Medical Records and the Conduct of Physical Examinations in Correctional Facilities; I conducted an inspection of the Dartmouth I.C.E. Facility on March 18, 2019 accompanied by Lieutenant Andrew Mitzan, Environmental Health and Safety Officer; and Amy Riordan, Community Sanitation Program. Violations noted during the inspection are listed below including 2 repeat violations:

**HEALTH AND SAFETY VIOLATIONS**

(\* indicates conditions documented on previous inspection reports)

**Visitor's Entrance**

*Bathroom (Right)* No Violations Noted

*Bathroom (Left)* No Violations Noted

*Visiting Room # 1* No Violations Noted

*Visiting Room # 2* No Violations Noted

**Common Area**

*Garage Bathroom* No Violations Noted

*Lobby* No Violations Noted

*Control* No Violations Noted

**Units**

**Unit A**

*Nurse's Office* No Violations Noted

*Nurse's Bathroom* No Violations Noted

*Inmate Bathroom Area* No Violations Noted

*Shower Area*  
105 CMR 451.123 Maintenance: Drain flies observed in shower # 1

*Laundry* No Violations Noted

*Classroom* No Violations Noted

*Janitor's Closet* No Violations Noted

*Sleeping Area*  
105 CMR 451.322\* Cell Size: Inadequate floor space in dorm room

**B Unit**

*Visitor's Room*  
105 CMR 451.353 Interior Maintenance: Ceiling tiles water damaged

*Nurse's Office* No Violations Noted

*Nurse's Bathroom*  
105 CMR 451.110(A) Hygiene Supplies at Toilet and Handwash Sink: No soap at handwash sink

*Inmate Bathroom Area* No Violations Noted

*Shower Area* No Violations Noted

*Laundry* No Violations Noted

*Janitor's Closet* No Violations Noted

Classroom

No Violations Noted

Sleeping Area

105 CMR 451.322\*

Cell Size: Inadequate floor space in dorm room

### **Observations and Recommendations**

1. The inmate population was 126 at the time of inspection.

This facility does not comply with the Department's Regulations cited above. In accordance with 105 CMR 451.404, please submit a plan of correction within 10 working days of receipt of this notice, indicating the specific corrective steps to be taken, a timetable for such steps, and the date by which correction will be achieved. The plan should be signed by the Superintendent or Administrator and submitted to my attention, at the address listed above.

To review the specific regulatory requirements please visit our website at [www.mass.gov/dph/dcs](http://www.mass.gov/dph/dcs) and click on "Correctional Facilities" (available in both PDF and RTF formats).

To review the Food Establishment Regulations or download a copy, please visit the Food Protection website at [www.mass.gov/dph/fpp](http://www.mass.gov/dph/fpp) and click on "Retail food". Then under DPH Regulations and FDA Code click "Merged Food Code" or "105 CMR 590.000 - State Sanitary Code Chapter X - Minimum Sanitation Standards for Food Establishments".

To review the Labeling regulations please visit the Food Protection website at [www.mass.gov/dph/fpp](http://www.mass.gov/dph/fpp) and click on "Food Protection Program regulations". Then under Food Processing click "105 CMR 500.000: Good Manufacturing Practices for Food".

This inspection report is signed and certified under the pains and penalties of perjury.

Sincerely,



Nicholas Gale  
Environmental Health Inspector, CSP, BEH

cc: Monica Bharel, MD, MPH, Commissioner, DPH  
Jana Ferguson, Director, BEH  
Steven Hughes, Director, CSP, BEH  
Marylou Sudders, Secretary, Executive Office of Health and Human Services (electronic copy)  
Carol A. Mici, Commissioner, DOC (electronic copy)  
Thomas Turco, Secretary, EOPSS (electronic copy)  
Nelson Alves, Director, Policy Development and Compliance Unit (electronic copy)  
Steven Sousa, Superintendent (electronic copy)  
Andrew Mitzan, Lieutenant, EHSO (electronic copy)  
Christopher Michaud, RS, Health Director, Dartmouth Board of Health (electronic copy)  
Clerk, Massachusetts House of Representatives  
Clerk, Massachusetts Senate